

Baby Laundry Detergent

Description:

Readily biodegradable formulation that effectively cleans your baby's clothes.

Berol® 611 an environmentally responsible alternative to NPEO for more effective penetration and wetting performance to enhance cleaning performance.

Alcosperse® 747 is an Acrylic / Styrene copolymer Showing soil suspension & ARD benefits. It also helps in aluminum corrosion protection.

Dissolvine® GL-47-S is a readily biodegradable, bio-based chelating agent that enhances the preservation and cleaning performance of your formulations.

Formula

Trade Name	Chemical Name	% w/w	Supplier
Deionized Water	Water (Aqua)	ad 100	Local
Sodium Laureth Sulfate (70%)	Sodium Laureth Sulfate (SLES) (70%)	5.00	Local
AG®6210	Alkyl Glucoside	2.00	Nouryon
Berol® 611	Alcohol Ethoxylate	10.00	Nouryon
Alcosperse® 747	Hybrid Polymer	2.0	Nouryon
Dissolvine® GL-47-S	Tetrasodium glutamate diacetate	4.0	Nouryon
Sodium Chloride	Sodium Chloride	q.s.	Local
Sodium Hydroxide (50%)	Sodium Hydroxide	q.s.	Local
Preservative, Fragrance, Dye	-	q.s.	Local
Total:		100.00%	

Procedure:

1. Charge Deionized Water, add SLES and mix till SLES solubilize properly.
2. Add AG 6210, Berol 611, Alcosperse 747 & Dissolvine GL 47S one by one & mix well in between until it becomes homogeneous.
3. Adjust pH with 50% sodium hydroxide solution to a target pH of 6-7.
4. Add preservative, dye, fragrance, sodium chloride and other additives and mix until it becomes homogeneous.

Properties:

Appearance:	Clear liquid
Brookfield Viscosity at 25°C, cps:	800 - 1300
pH:	6.0 – 7.0

The information given and the recommendations made herein are based on our research and are believed to be accurate but no guarantee of their accuracy is made. In every case we urge and recommend that purchasers before using any product in full scale production make their own tests to determine to their own satisfaction whether the product is of acceptable quality and is suitable for their particular purposes under their own operating conditions. The results of toxicity testing of the polymers used in the formulations are found in the respective technical literature, the safety of the formulation has not been established by testing. The suitability of the final formulation should be confirmed in all respects by appropriate evaluation. No representative of ours has any authority to waive or change the foregoing provisions but, subject to such provisions, our engineers are available to assist purchasers in adapting our products to their needs and to the circumstances prevailing in their business. Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without the authority from the owner of this patent. We also expect purchasers to use our products in accordance with the guiding principles of the Chemical Manufacturers Association's Responsible Care® program.

North America: Chicago, Illinois, U.S.A., T: 800 906 9977, e: csrusa@nouryon.com
 South America: Iltupeva, SP, Brazil, T: +55 11 45918938, e: sc-southamerica@nouryon.com
 Europe: Stenungsund, Sweden, T: +46 303 85000, e: surfactants.europe@nouryon.com
 Asia/Pacific: Shanghai, China, T: +86 21 2220 5000, e: surfactants.asia@nouryon.com